International Journal of Mass Spectrometry and Ion Processes 130 (1994) 247
Elsevier Science B.V.

AUTHOR INDEX

Aberth, W. 9
Aschi, M. 117
Ahmed, M.S. 1

Baba, M.S. L1, L5
Balasubramanian, R. L1, L5
Becker, R. L7
Bielawski, J. 107
Boerboom, A.J.H. 41
Boussofiane-Baudin, K. 73
Brenton, A.G. 83
Brunelle, A. 73

Chaurand, P. 73
Chen, C.-C. L7
Cherepin, V. 151
Cramers, C.A. L7
Crestoni, M.E. 143, 207

Della-Negra, S. 73
Demirev, P. 107
Depauw, J. 73
DeSantolo, A.M. 133

Enos, C.S. 83

Farrell, J.T. Jr., 187
Floka, V. 151
Fornarini, S. 207
Frankevich, V.E. 9
Franzen, J. 15

Giam, C.S. 1
Goldberg, N. 127
Götz, A. L7
Grandinetti, F. 117, 207
Grimsrud, E.P. 227

Håkansson, P. 73
Hartmann, B. 223
Hebeda, E.H. 237
Heumann, K.G. 237
Hudgins, D.M. 49
Huth-Fehre, T. 107

Ioanoviciu, D. 41
Iraqi, M. 127

Janssen, H.-G. L7
Jung, H. L7

Kenttämaa, H.I. 187
Kraft, A. L7

Le Beyec, Y. 73
Leclerq, P.A. L7
Lee, A.R. 83
Lin, P. 187
Lu, Q. 65

Mandich, M.L. 133
Marinelli, P.J. 89
Masuda, A. 65
Mathews, C.K. L1, L5
McAdoo, D.J. 1

Narasimhan, T.S.L. L1, L5
Nikolaev, E.N. 9

Paulino, J.A. 89
Pepi, F. 117
Porter, R.F. 49
Poutsma, J.C. 89

Ranatunga, T.D. 187
Reents, W.D. Jr., 133

Schwarz, H. 127
Snijders, H.M.J. L7
Speranza, M. 143, 207
Squires, R.R. 89
Stirk, K.M. 187
Strode, K.S. 227
Sunderlin, L.S. 89
Sundqvist, B.U.R. 107

Tomilenko, V. 151

Van Ysacker, P.G. L7
Van der Hart, W.J. 173

Walczyk, T. 237
Wang, C.R.C. 133
Wenthold, P.G. 89
Westman, A. 107
Wilkins, A.C.R. 83
Wollnik, H. 223, L7

Yavor, M.I. 41, 223

Zeller, L.C. 187

International Journal of Mass Spectrometry and Ion Processes 130 (1994) 249–252
Elsevier Science B.V.

SUBJECT INDEX

Ammonia
Reactions of indium phosphide cluster cations with ammonia and trimethylamine 133
Ammonium radical
Studies of the hydrated oxonium radical $H_3O \cdot (H_2O)n$ and the ammoniated ammonium radical $NH_4 \cdot (NH_3)n$ by neutralized ion beam techniques 49
Atomic weight
The isotopic composition and atomic weight of molybdenum 65

Biomolecules
Sample exposure effects in matrix-assisted laser desorption–ionization mass spectrometry of large biomolecules 107
Bond formation
Competing dissociation of and bond formation between CH_3CHOH^+ and $\cdot CH_2CH_3$ formed by bimolecular processes 1

C_{60}
Ionisation of C_{60}: is it temperature dependent? L1
Shape of the ionization cross section function for $C_{60} + e \rightarrow C_{60}^+ + 2e$ from threshold to maximum: reply to comment by Scheier et al. L5
CAD mass spectrometry
The addition of NF_2^+ to H_2O as a route to gaseous protonated F_2NOH 117
Calculations on $C_6H_6^{\cdot +}$ isomerizations
The isomerization of C_6H_6 radical cations. A comparison of photodissociation results with semi-empirical molecular orbital calculations 173
Carbon clusters
High energy carbon cluster beams 73
Charge permutation
Collisional cooling effects on the charge reversal and neutralization–reionization mass spectra of the negative cluster ion of sulfur dioxide $(SO_2)_2^{\cdot -}$ 127
Chloromethyl cation
A tandem selected ion flow tube–triple quadrupole instrument 89
Cluster chemistry
Collisional cooling effects on the charge reversal and neutralization–reionization mass spectra of the negative cluster ion of sulfur dioxide $(SO_2)_2^{\cdot -}$ 127
Clusters
Reactions of indium phosphide cluster cations with ammonia and trimethylamine 133
Studies of the hydrated oxonium radical $H_3O \cdot (H_2O)n$ and the ammoniated ammonium radical $NH_4 \cdot (NH_3)n$ by neutralized ion beam techniques 49
Collision activated dissociation
Comparison of energy-resolved low-energy CAD of stable and isomerizing ions in an FT-ICR and in other tandem mass spectrometers 187

Electron capture
Single electron capture by C^{3+} ions in He, Ne and Ar 83
Electron capture detector
Gas phase S_N2 nucleophilic displacement reactions at atmospheric pressure by the photodetachment-modulated electron capture detector 227
Electron impact
Ionisation of C_{60}: is it temperature dependent? L1
Shape of the ionisation cross section function for $C_{60} + e \rightarrow C_{60}^+ + 2e$ from threshold to maximum: reply to comment by Scheier et al. L5
Energy resolved mass spectrometry
Comparison of energy-resolved low-energy CAD of stable and isomerizing ions in an FT-ICR and in other tandem mass spectrometers 187
Exposure effects
Sample exposure effects in matrix-assisted laser desorption–ionization mass spectrometry of large biomolecules 107
External ion source
The resolution obtained from low energy ion scattering using an ion cyclotron resonance spectrometer 9

Fourier transform ion cyclotron resonance
Comparison of energy-resolved low-energy CAD of stable and isomerizing ions in an FT-ICR and in other tandem mass spectrometers 187
Reactions of indium phosphide cluster cations with ammonia and trimethylamine 133
The resolution obtained from low energy ion scattering using an ion cyclotron resonance spectrometer 9
Fourier transform mass spectrometry
Competing dissociation of and bond formation between

CH_3CHOH^+ and $^{\cdot}CH_2CH_3$ formed by bimolecular processes 1
Ionic Lewis superacids in the gas phase. Part 5. Competing ligand displacements in the adducts between $SiF_{3-x}(OH)_x^+$ ($x = 0$–3) ions and $H_2{}^{18}O$ 143
Fullerenes
Ionisation of C_{60}: is it temperature dependent? L1
Shape of the ionisation cross section function for $C_{60} + e \rightarrow C_{60}^+ + 2e$ from threshold to maximum: reply to comment by Scheier et al. L5

GAUSSIAN-1 calculations
The addition of NF_2^+ to H_2O as a route to gaseous protonated F_2NOH 117
Gas phase ion chemistry
Ionic Lewis superacids in the gas phase. Part 5. Competing ligand displacements in the adducts between $SiF_{3-x}(OH)_x^+$ ($x = 0$–3) ions and $H_2{}^{18}O$ 143
Ionic Lewis superacids in the gas phase. Part 4. CF_3^+ initiated ion/molecule reaction patterns in the γ-radiolysis of CF_4/n-bases gaseous mixtures 207
Gaseous Lewis superacids
Ionic Lewis superacids in the gas phase. Part 4. CF_3^+ initiated ion/molecule reaction patterns in the γ-radiolysis of CF_4/n-bases gaseous mixtures 207
Gaseous protonated silicic acid
Ionic Lewis superacids in the gas phase. Part 5. Competing ligand displacements in the adducts between $SiF_{3-x}(OH)_x^+$ ($x = 0$–3) ions and $H_2{}^{18}O$ 143

High-speed gas chromatography–time-of-flight mass spectrometry
A high-speed gas chromatograph coupled to a time-of-flight mass analyzer L7
Hydride transfer
A tandem selected ion flow tube–triple quadrupole instrument 89

Indium phosphide
Reactions of indium phosphide cluster cations with ammonia and trimethylamine 133
Ion optics
A new time-of-flight mass analyzer of poloidal geometry 223
Ion scattering
The resolution obtained from low energy ion scattering using an ion cyclotron resonance spectrometer 9
Ion trap
Comparison of energy-resolved low-energy CAD of stable and isomerizing ions in an FT-ICR and in other tandem mass spectrometers 187
The non-linear ion trap. Part 5. Nature of non-linear resonances and resonant ion ejection 15
Ion/molecule reaction mechanisms
Ionic Lewis superacids in the gas phase. Part 4. CF_3^+ initiated ion/molecule reaction patterns in the γ-radiolysis of CF_4/n-bases gaseous mixtures 207
Ion/molecule reactions
Competing dissociation of and bond formation between CH_3CHOH^+ and $^{\cdot}CH_2CH_3$ formed by bimolecular processes 1
Ion/neutral complexes
Competing dissociation of and bond formation between CH_3CHOH^+ and $^{\cdot}CH_2CH_3$ formed by bimolecular processes 1
Ionization cross section
Shape of the ionisation cross section function for $C_{60} + e \rightarrow C_{60}^+ + 2e$ from threshold to maximum: reply to comment by Scheier et al. L5
Isomerization
Comparison of energy-resolved low-energy CAD of stable and isomerizing ions in an FT-ICR and in other tandem mass spectrometers 187
Isomerization of $C_6H_6^{\cdot+}$
The isomerization of C_6H_6 radical cations. A comparison of photodissociation results with semi-empirical molecular orbital calculations 173
Isotope exchange
Ionic Lewis superacids in the gas phase. Part 5. Competing ligand displacements in the adducts between $SiF_{3-x}(OH)_x^+$ ($x = 0$–3) ions and $H_2{}^{18}O$ 143
Isotope ratio
Low blank rhenium isotope ratio determinations by V_2O_5 coated nickel filaments using negative thermal ionization mass spectrometry 237
Isotope scrambling
A tandem ion flow tube–triple quadrupole instrument 89
Isotopic composition
The isotopic composition and atomic weight of molybdenum 65

Knudsen cell mass spectrometry
Ionisation of C_{60}: is it temperature dependent? L1

Manufacturing imperfections
Parasitic effects in an imperfectly manufactured inhomogeneous Wien filter 41
Mass analyser
Optical, energy and mass dispersive properties of the spherotron 151
Mass spectrometry
Shape of the ionisation cross section function for $C_{60} + e \rightarrow C_{60}^+ + 2e$ from threshold to maximum: reply to comment by Scheier et al. L5

The isotopic composition and atomic weight of molybdenum 65
Matrices
Sample exposure effects in matrix-assisted laser desorption–ionization mass spectrometry of large biomolecules 107
Matrix-assisted laser desorption–ionization
Sample exposure effects in matrix-assisted laser desorption–ionization mass spectrometry of large biomolecules 107
MIKE spectrometry
The addition of NF_2^+ to H_2O as a route to gaseous protonated F_2NOH 117
Molybdenum
The isotopic composition and atomic weight of molybdenum 65

Negative thermal ionization mass spectrometry
Low blank rhenium isotope ratio determinations by V_2O_5 coated nickel filaments using negative thermal ionization mass spectrometry 237
Neutralization–reionization mass spectrometry
Studies of the hydrated oxonium radical $H_3O \cdot (H_2O)_n$ and the ammoniated ammonium radical $NH_4 \cdot (NH_3)n$ by neutralized ion beam techniques 49
Nickel filaments
Low blank rhenium isotope ratio determinations by V_2O_5 coated nickel filaments using negative thermal ionization mass spectrometry 237
Nitrogen fluoride (NF_3)/water
The addition of NF_2^+ to H_2O as a route to gaseous protonated F_2NOH 117
Non-linear resonance
The non-linear ion trap. Part 5. Nature of non-linear resonances and resonant ion ejection 15
Nucleophilic displacement
Gas phase S_N2 nucleophilic displacement reactions at atmospheric pressure by the photodetachment-modulated electron capture detector 227

Oxonium radical
Studies of the hydrated oxonium radical $H_3O \cdot (H_2O)_n$ and the ammoniated ammonium radical $NH_4 \cdot (NH_3)_n$ by neutralized ion beam techniques 49

Parasitic effects
Parasitic effects in an imperfectly manufactured inhomogeneous Wien filter 41
Photodetachment
Gas phase S_N2 nucleophilic displacement reactions at atmospheric pressure by the photodetachment-modulated electron capture detector 227
Photodissociation of $C_6H_6^{\cdot+}$
The isomerization of C_6H_6 radical cations. A comparison of photodissociation results with semi-empirical molecular orbital calculations 173
Poloidal analyser
A new time-of-flight mass analyser of poloidal geometry 223
Proton transfer
Competing dissociation of and bond formation between CH_3CHOH^+ and $^{\cdot}CH_2CH_3$ formed by bimolecular processes 1
Protonated F_2NOH
The addition of NF_2^+ to H_2O as a route to gaseous protonated F_2NOH 117

Radiolysis
Ionic Lewis superacids in the gas phase. Part 4. CF_3^+ initiated ion/molecule reaction patterns in the γ-radiolysis of CF_4/n-bases gaseous mixtures 207
Resonant ion ejection
The non-linear ion trap. Part 5. Nature of non-linear resonance and resonant ion ejection 15
Rhenium
Low blank rhenium isotope ratio determinations by V_2O_5 coated nickel filaments using negative thermal ionization mass spectrometry 237

Scrambling in $C_6H_6^{\cdot+}$
The isomerization of C_6H_6 radical cations. A comparison of photodissociation results with semi-empirical molecular orbital calculations 173
Selected-ion flow tube
A tandem selected ion flow tube–triple quadrupole instrument 89
S_N2
Gas phase S_N2 nucleophilic displacement reactions at atmospheric pressure by the photodetachment-modulated electron capture detector 227
Spherical condenser
Optical, energy and mass dispersive properties of the spherotron 151
Spherotron
Optical, energy and mass dispersive properties of the spherotron 151
Sputter ion source
High energy carbon cluster beams 73
Sulfur dioxide dimers
Collisional cooling effects on the charge reversal and neutralization–reionization mass spectra of the negative cluster ion of sulfur dioxide $(SO_2)_2^{\cdot-}$ 127
Surface analysis
The resolution obtained from low energy ion scattering using an ion cyclotron resonance spectrometer 9

Temperature dependence of ionization cross section
Ionisation of C_{60}: is it temperature dependent? L1
Time of flight
A new time-of-flight mass analyser of poloidal geometry 223
High energy carbon cluster beams 73
Translational energy spectroscopy
Single electron capture by C^{3+} ions in He, Ne and Ar 83
Trifluoromethyl cation
Ionic Lewis superacids in the gas phase. Part 4. CF_3^+ initiated ion/molecule reaction patterns in the γ-radiolysis of CF_4/n-bases gaseous mixtures 207
Trifluorosilyl cation
Ionic Lewis superacids in the gas phase. Part 5. Competing ligand displacements in the adducts between $SiF_{3-x}(OH)_x^+ (x = 0-3)$ ions and $H_2{}^{18}O$ 143
Trimethylamine
Reactions of indium phosphide cluster cations with ammonia and trimethylamine 133
Triple quadrupole
A tandem selected ion flow tube-triple quadrupole instrument 89
Wien filter
Parasitic effects in an imperfectly manufactured inhomogeneous Wien filter 41